Using R and Shiny to Analyze National Assessment Data

NCES Lead: Emmanuel Sikali

Team Leads: Paul Bailey & Ting Zhang

Development Team: Michael Lee, Huade Huo, Trang Nguyen, Thomas

Fink, & Sun-Joo Lee

Quality Control Team: Michael Cohen, Jiayi Li, Yuqi Liao, & Qingshu Xie


September 2019



Agenda

- 1. Context
- 2. Statement of problem
- 3. Demo R Package EdSurvey
- 4. Demo Shiny App interactive NCES Results Display (iNRD)

Context - NCES and NAEP



Context - NCES and NAEP


The *National Center for Education Statistics (NCES)* is the primary federal entity for collecting and analyzing data related to education in the U.S. and other nations.

The *National Assessment of Educational Progress (NAEP)* is the largest nationally representative and continuing assessment of what America's students know and can do in various subject areas.

Analyzing NAEP data for students achievement involves:

- Using plausible values to account for uncertainty in the estimates of student test scores; and
- Employing special methods (e.g., jackknife) that account for the NAEP complex sampling design.

Statement of Problem



Statement of Problem

- 1. Cost: requires specialized statistical software
- 2. Complexity:
 - survey data size can be unwieldy on some machines
 - custom code required to perform analyses
- 3. Access Limitations: impediments to downloading and reading-in data
- 4. Inefficiency: cognitive burden creating and reproducing analyses
- 5. Software Fatigue: data downloading, processing, manipulation and analysis all done in different software

Statement of Problem

Analyzing NCES data is too costly, complex, inaccessible, and burdensome for researchers.

EdSurvey




What is EdSurvey?

An **R** statistical package that gives users functions to connect seamlessly with NCES data to *perform analyses that take into account complex sample survey design and the use of plausible values.*


Why EdSurvey?

- 1. **One-stop shop** for data downloading, processing, manipulation and analysis of survey data.
- 2. **Automated**: Weights and complex sampling design calculations are automated following standard NCES methodology.
- 3. **Simple**: e.g., a regression with 90 replicate weights requires only a few lines of code.
- 4. **Flexible**: You can use functions that rely on EdSurvey methods or get the data and use traditional R.
- 5. Minimizes memory footprint by only reading in required data.




1. Understand the data

- Explore: explore the codebook, see the variables with plausible values, see weights.
- · Search: search variables.
- Expand: see variable levels, tabulate response percentages, see assessment scores by response category, summarize continuous variables.




1. Understand the data

- Explore: explore the codebook, see the variables with plausible values, see weights.
- · Search: search variables.
- Expand: see variable levels, tabulate response percentages, see assessment scores by response category, summarize continuous variables.




1. Understand the data

- Explore: explore the codebook, see the variables with plausible values, see weights.
- Search: search variables.
- Expand: see variable levels, tabulate response percentages, see assessment scores by response category, summarize continuous variables.



3. Run analyses such as regression analysis, logit analysis, mixed models, show gaps, calculate achievement levels, correlate variables, calculate percentiles.

Demo -EdSurvey




Installing the EdSurvey Package

```
# to install the package
install.packages("EdSurvey")


# to load the package
library(EdSurvey)
```

Data Processing



Data Processing

• First, read in the data



Meet Your Data - print

print()

Print returns detailed data file information:

```
print(sdf)
## edsurvey.data.frame for 2005 NAEP (Mathematics) in USA
##
  Dimensions: 17606 rows and 302 columns.
##
  There are 1 full sample weight(s) in this edsurvey.data.frame
     'origwt' with 62 JK replicate weights (the default).
##
   There are 6 subject scale(s) or subscale(s) in this edsurvey.data.frame
     'num oper' subject scale or subscale with 5 plausible values.
     'measurement' subject scale or subscale with 5 plausible values.
     'geometry' subject scale or subscale with 5 plausible values.
     'data_anal_prob' subject scale or subscale with 5 plausible values.
     'algebra' subject scale or subscale with 5 plausible values.
     'composite' subject scale or subscale with 5 plausible values (the default).
##
## Omitted Levels: 'Multiple', 'NA', 'Omitted'
```

Data Exploration and Cross Tabulation

- Summary table of NAEP composite mathematics performance scale scores (composite) of 8th grade students by two student factors:
 - o dsex: gender
 - b017451: frequency of talk about studies at home

es1 <- edsurveyTable(composite ~ dsex + b017451, data = sdf)

dsex	b017451	N	WTD_N	PCT	SE(PCT)	MEAN	SE(MEAN)
Male	Never or hardly ever	2350	2434.844	29.00978	0.6959418	270.8243	1.057078
Male	Once every few weeks	1603	1638.745	19.52472	0.5020657	275.0807	1.305922
Male	About once a week	1384	1423.312	16.95795	0.5057265	281.5612	1.409587
Male	2 or 3 times a week	1535	1563.393	18.62694	0.4811497	284.9066	1.546072
Male	Every day	1291	1332.890	15.88062	0.5872731	277.2597	1.795784
Female	Never or hardly ever	1487	1517.609	18.20203	0.5078805	266.7897	1.519020


Linear Regression

- fits a linear model formula using sampling weights and variance estimates:
 - o dsex: gender
 - b017451: frequency of talk about studies at home

```
lm1 <- lm.sdf(composite ~ dsex + b017451,</pre>
                   weightVar = 'origwt', data = sdf)
 summary(lm1)
##
## Formula: composite ~ dsex + b017451
##
## jrrIMax: 1
## Weight variable: 'origwt'
## Variance method: jackknife
## JK replicates: 62
## full data n: 17606
## n used: 16331
##
## Coefficients:
                          coef
                                               dof
                                                           Pr(>|t|)
## (Intercept)
```

EdSurvey Calls Network Connection

Small Memory Footprint



Extensive Function Library

- Correlations
- Proportion meeting expectations
- Regression
- Logit/probit
- Quantile regression
- Percentiles
- Mixed models
- Gap trend analysis

Learning EdSurvey


There are many ways to learn about how to use EdSurvey:

- Frequently offered workshops
- Reading vignettes on the EdSurvey Website (https://www.air.org/page/edsurvey-installation-and-use)
- Accessing vignettes via the package (requires internet)

```
vignette("introduction", package="EdSurvey")
```

R help

```
help(package = "EdSurvey")
```




- A Shiny exploratory tool that visualizes results from one of the NCES data -National Assessment of Educational Progress (NAEP)across year
- The iNRD is built using the R statistical software and it features an interactive interface with dropdowns, checkboxes and slider bars for ease of use
- Users can explore NAEP results and create customized plots including charts and maps that display NAEP national, state, and TUDA performances across multiple years, and broken down across a variety of student groups. Users can also download and save their plots to the png, pdf, or svg format.


- Some current NCES data visualization tools are cumbersome
 - In NAEP Data Explorer and International Data Explorer, a user
 has to follow certain procedure to achieve a goal. Any mistake in
 a intermediate step will mess up the whole process, and the
 user has to go back to the beginning and restart the analysis.
 - Does not support sophisticated data exploration



Trend in fourth-grade NAEP mathematics average scores by Gender



Virginia fourth-grade NAEP mathematics achievement levels by race (black)



Percent of Fourth-grade students at or above Proficient in Reading by IEP status (Y)